



**Van Wert County Health Department**

***SUPPLEMENT TO OHIO DEPARTMENT OF  
HEALTH OHIO ADMINISTRATIVE CODE  
CHAPTER 3701-29 SEWAGE TREATMENT  
SYSTEM RULES***

2015

***Effective January 13, 2015***

Van Wert County Health Department

Supplement to the Ohio Department of Health Sewage Treatment System  
Rules 3701-29

**Table of Contents**

	Page
Section 1 – Definitions.....	2
Section 2 – General Authority.....	2
Section 3 – Penalties.....	2
Section 4 – Registration of installers, service providers, and septage haulers..	2
Section 5 – General soil absorption standards.....	2
Section 7 – Gray water recycling systems.....	3
Section 8 – STS operation and management, and owner education.....	3

## **Section 1 – Definitions**

Definitions reflect those set forth and identified in 3701-29-01 of the Ohio Administrative Code.

## **Section 2 – General Authority**

The Board of Health of the Van Wert County General Health District is granted authority under section 3709.21 of the Ohio Revised Code to make such orders and regulations as are necessary for the public health, the prevention or restriction of disease, and the prevention, abatement, or suppression of nuisances.

## **Section 3 – Penalties**

This regulation shall be enforced in accordance with Chapter 3709 of the Ohio Revised Code. A violation of this regulation is punishable in accordance with section 3709.99 of the Ohio Revised Code.

## **Section 4 - Registration of installers, service providers, and septage haulers**

- (A) In reference to 3701-29-03 (G) of the Ohio Administrative Code, when the registered service provider performs the duties of a service provider on only the registrant's personal residence, the service provider shall be exempt from paragraphs (C)(4), and (C)(6) of the rule. Whereas the board of health has the authority to waive (C)(1) and (C)(5) of the rule, the board of health does hereby determine that it does waive these sections and shall not require compliance with paragraphs (C)(1) and (C)(5) of the rule.
- (B) In reference to 3701-29-03 (H) of the Ohio Administrative Code, when the registered installer performs the duties of an installer on only the registrant's personal residence, the board of health may waive (C)(1), (C)(4), and (C)(6) of the rule. The board of health does hereby determine that it shall require compliance with paragraphs (C)(1) of the rule and it shall waive paragraphs (C)(4) and (C)(6) of the rule.

## **Section 5 – General soil absorption standards**

- (A) In reference to 3701-29-15 (G) of the Ohio Administrative Code, whereas the board of health may establish a vertical separation distance no less than six inches and no greater than eighteen inches, with a required minimum thickness of in situ soil within the infiltrative distance of no less than six inches, the board of health does hereby establish a vertical separation distance of six (6) inches, with a required minimum thickness of in situ soil of six (6) inches.

- (B) In reference to 3701-29-15 (H) of the Ohio Administrative Code, whereas the board of health may establish the required minimum vertical separation distance of greater than zero inches and less than six inches, and the required minimum in situ soil thickness within the vertical separation distance of greater than zero inches and less than six inches where the seasonal water table is present and the sewage effluent is pretreated to less than one thousand fecal coliform CFU per one hundred milliliters, the board of health does hereby establish a vertical separation distance of greater than zero inches, with a required minimum thickness of in situ soil of greater than zero inches.

### **Section 7 - Gray water recycling systems**

- (A) In reference to 3701-29-17 (B) of the Ohio Administrative Code, whereas the board of health may issue a permit for the design and installation of a type 1 gray water recycling system, the board of health does hereby determine that a permit shall be required for the design and installation of these systems.
- (1) No person shall design or install a type 1 gray water recycling system without an approved and valid type 1 gray water recycling system permit issued by the board of health.
  - (2) All terms, conditions, and procedures for site review and permitting specified in section 3701-29-09 of the Ohio Administrative Code shall be recognized and enforced.

### **Section 8 - STS operation and management, and owner education**

- (A) In reference to 3701-29-19 (E)(1) of the Ohio Administrative Code, whereas the board of health may permit a registered service provider to collect effluent samples for National Pollutant Discharge Elimination System system, the board of health does hereby permit a registered service provider to collect effluent samples for the National Pollutant Discharge Elimination System, according to established collection protocol.